



## SEQUENCE LISTING

<110> Craig, A. Grey  
Griffen, David  
Olivera, Baldomero M.  
Watkins, Maren  
Hillyard, David R.  
Imperial, Julita  
Cruz, Lourdes J.  
Wagstaff, John D.  
Layner, Richard T.  
Jones, Robert M.  
McCabe, R. Tyler  
Cognetix, Inc.  
University of Utah Research Foundation  
Salk Institute

<120> Contulakin-G, Analogs Thereof and Uses Therefor

<130> 2314-243

<150> US 09/420,797  
<151> 1999-10-19

<150> US 60/130,661  
<151> 1999-04-23

<150> US 60/128,561  
<151> 1999-04-09

<150> US 60/105,015  
<151> 1998-10-20

<160> 13

<170> PatentIn Ver. 2.0

<210> 1  
<211> 16  
<212> PRT  
<213> Conus geographus

<220>  
<221> PEPTIDE  
<222> (1)..(13)  
<223> Xaa at residue 1 is pyro-Glu; Xaa at residue 13 is  
Pro or hydroxy-Pro; Thr at residue 10 is modified  
to contain an O-glycan.

<400> 1  
Xaa Ser Glu Glu Gly Gly Ser Asn Ala Thr Lys Lys Xaa Tyr Ile Leu  
1 5 10 15

<210> 2  
<211> 16  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:Generic  
Contulakin-G formula

```

<220>
<221> PEPTIDE
<222> (1)..(8)
<223> Xaa at residue 1 is pyro-Glu, Glu, Gln or
      gamma-carboxy-Glu; Xaa at residues 2 and 7 is Ser,
      Thr, or S-glycan modified Cys; Xaa at residues 3
      and 4 is Glu or gamma-carboxy-Glu; Xaa at residue

<220>
<221> PEPTIDE
<222> (8)..(10)
<223> 8 is Asn, N-glycan modified Asn or S-modified
      Cys; Xaa at residue 9 is Ala or Gly; Xaa at
      residue 10 is Thr, Ser, S-glycan modified Cys,
      Tyr or unnatural hydroxy containing amino acid.

<220>
<221> PEPTIDE
<222> (11)..(12)
<223> Xaa at residue 11 is Lys, N-methyl-Lys,
      N,N-dimethyl Lys, N,N,N-trimethyl Lys, Arg,
      ornithine, homo-Arg, or any unnatural basic amino
      acid; Xaa at residue 12 is Ala, Gly, Lys,

<220>
<221> PEPTIDE
<222> (12)
<223> N-methyl-Lys, N,N-dimethyl Lys, N,N,N-trimethyl
      Lys, Arg, ornithine, homo-Arg, any unnatural basic
      amino acid or X-Lys, X is (CH2)n, phenyl,
      -(CH2)m-(CH=CH)-(CH2)mH or -(CH2)m-(CC)-(CH2)mH,

<220>
<221> PEPTIDE
<222> (12)..(14)
<223> in which n is 1-4 and m is 0-2; Xaa 13 is Pro or
      hydroxy-Pro; Xaa at residue 14 is Tyr,
      mono-iodo-Tyr, di-iodo-Tyr, O-sulpho-Tyr,
      O-phospho-Tyr, nitro-Tyr, Trp, D-Trp, halo-Trp,

<220>
<221> PEPTIDE
<222> (14)
<223> halo-D-Trp, Phe, L-neo-Trp or unnatural aromatic
      amino acid, halo is Br or Cl.

<400> 2
Xaa Xaa Xaa Xaa Gly Gly Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Ile Leu
  1           5           10           15

<210> 3
<211> 17
<212> DNA
<213> Conus geographus

<220>
<221> misc_feature
<222> (1)..(17)
<223> n is any nucleotide

<400> 3
atratnggyt tyttngt

```

<210> 4  
 <211> 15  
 <212> PRT  
 <213> Conus geographus

<220>  
 <221> PEPTIDE  
 <222> (9)  
 <223> Xaa at residue 9 is unknown

<400> 4  
 Ser Glu Glu Gly Gly Ser Asn Ala Xaa Lys Lys Pro Tyr Ile Leu  
     1                    5                    10                    15

<210> 5  
 <211> 231  
 <212> DNA  
 <213> Conus geographus

<220>  
 <221> CDS  
 <222> (1) .. (228)

<400> 5  
 atg cag acg gcc tac tgg gtg atg gtg atg atg atg gtg tgg att gca 48  
 Met Gln Thr Ala Tyr Trp Val Met Val Met Met Met Val Trp Ile Ala  
     1                    5                    10                    15  
  
 gcc cct ctg tct gaa ggt ggt aaa ctg aac gat gta att cgg ggt ttg 96  
 Ala Pro Leu Ser Glu Gly Gly Lys Leu Asn Asp Val Ile Arg Gly Leu  
                     20                    25                    30  
  
 gtg cca gac gac ata acc cca cag ctc atg ttg gga agt ctg att tcc 144  
 Val Pro Asp Asp Ile Thr Pro Gln Leu Met Leu Gly Ser Leu Ile Ser  
                     35                    40                    45  
  
 cgt cgt caa tcg gaa gag ggt ggt tca aat gca acc aag aaa ccc tat 192  
 Arg Arg Gln Ser Glu Glu Gly Gly Ser Asn Ala Thr Lys Lys Pro Tyr  
     50                    55                    60  
  
 att cta agg gcc agc gac cag gtt gca tct ggg cca tag 231  
 Ile Leu Arg Ala Ser Asp Gln Val Ala Ser Gly Pro  
     65                    70                    75

<210> 6  
 <211> 76  
 <212> PRT  
 <213> Conus geographus

<400> 6  
 Met Gln Thr Ala Tyr Trp Val Met Val Met Met Met Val Trp Ile Ala  
     1                    5                    10                    15  
  
 Ala Pro Leu Ser Glu Gly Gly Lys Leu Asn Asp Val Ile Arg Gly Leu  
                     20                    25                    30  
  
 Val Pro Asp Asp Ile Thr Pro Gln Leu Met Leu Gly Ser Leu Ile Ser  
                     35                    40                    45  
  
 Arg Arg Gln Ser Glu Glu Gly Gly Ser Asn Ala Thr Lys Lys Pro Tyr  
     50                    55                    60

Ile Leu Arg Ala Ser Asp Gln Val Ala Ser Gly Pro  
 65 70 75

<210> 7  
 <211> 16  
 <212> PRT  
 <213> Conus geographus

<220>  
 <221> PEPTIDE  
 <222> (1)..(10)  
 <223> Xaa at residue 1 is pyro-Glu; Thr at residue 10  
 contains an O-glycan.

<400> 7  
 Xaa Ser Glu Glu Gly Gly Glu Asn Ala Thr Lys Lys Pro Tyr Ile Leu  
 1 5 10 15

<210> 8  
 <211> 13  
 <212> PRT  
 <213> Bos sp.

<220>  
 <221> PEPTIDE  
 <222> (1)  
 <223> Xaa at residue 1 is pyro-Glu.

<400> 8  
 Xaa Leu Tyr Glu Asn Lys Pro Arg Arg Pro Tyr Ile Leu  
 1 5 10

<210> 9  
 <211> 6  
 <212> PRT  
 <213> porcine

<400> 9  
 Lys Ile Pro Tyr Ile Leu  
 1 5

<210> 10  
 <211> 8  
 <212> PRT  
 <213> Xenopus laevis

<400> 10  
 Gln Gly Lys Arg Pro Trp Ile Leu  
 1 5

<210> 11  
 <211> 25  
 <212> PRT  
 <213> Homo sapiens

<400> 11  
 Met Leu Thr Lys Phe Glu Thr Lys Ser Ala Arg Val Lys Gly Leu Ser  
 1 5 10 15

Phe His Pro Lys Arg Pro Trp Ile Leu  
                   20                  25

<210> 12

<211> 17

<212> PRT

<213> *Vespula maculifrons*

<400> 12

Thr Ala Thr Thr Arg Arg Arg Gly Arg Pro Pro Gly Phe Ser Pro Phe  
   1                  5                  10                  15

Arg

<210> 13

<211> 9

<212> PRT

<213> *Homo sapiens*

<400> 13

Arg Pro Pro Gly Phe Ser Pro Phe Arg  
   1                  5